



ULTRA MATT WATERBASED PRODUCTS FOR INTERIOR



DEEP MATT

EXCELLENT CHEMICAL-
PHYSICAL RESISTANCE

SELF HEALING

AF2001/00 clear
AT2003/NN neutral
AT2003/BB white





ULTRA MATT WATERBASED PRODUCTS FOR INTERIOR

Sayerlack presents the new ultra matt waterbased products for interior surfaces with high chemical-physical resistance.

AF2001/00 is the two-component clear waterbased matt self-sealer, that performs a deep matt super natural effect to the surfaces it is applied to. Uniform matte 3 gloss at all angles, with exceptional mar resistance compared to all the finishes in this gloss (both WB or SB). Excellent transparency in 2 coats.

AF2001/00 has exceptional resistance to creams, to cleaning with solvents and:

- . cold liquids, according to UNI EN 12720
- . dry and wet heat at 100°C, according to UNI EN 12721 and UNI EN 12722
- . scratch, according to UNI CEN/TS 15186
- . retention to dirt, according to UNI 9300.

We find the same outstanding performances and chemical-physical resistances in **AT2003/XX**, available as neutral **/NN** and as white **/BB**. **AT2003/XX** is the new two-component waterbased topcoat 3 gloss which stands out for its captivating soft-feel effect to the touch.

AREA OF USE	Kitchen cabinets, interior furniture, flat parts, turned parts, matchboards		
METHOD OF USE	Spray (conventional, airmix, airless)		
APPLICATION SYSTEM			
PRODUCTS	COVERAGE	DRYING CONDITIONS	DRYING TIME
AF2001/00 + AH1564/00 10%	100-120 gr/m ² x 2	room temperature 20°C	16 h
		oven 40°C	4 h
AT2003/XX + AH1564/00 15% on wood prepared with AU0474/13	80 g/m ²	room temperature 20°C humidity 60%	16 h
AT2003/XX + AH1564/00 15% on melamine paper	80 g/m ²	room temperature 20°C humidity 60%	16 h

Technical Service: Ph. +39 051 770770 - Fax +39 051 770521 customerservice@sayerlack.com

Sherwin-Williams Italy S.r.l. - Export Department
Via del Fiffo 12 - 40065 Pianoro (BO) - Italy
Ph. +39 051 770511 - Fax +39 051 770528
export@sayerlack.it - www.sayerlack.com



Sayerlack is a brand of The Sherwin Williams Company